

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name : TOLL-AZUR OPAQUE

Product code : 3t22091

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Consumer and professional application of coatings

### 1.3. Details of the supplier of the safety data sheet

Registered company name : CROMOLOGY SERVICES

Address : 71, Boulevard du General Leclerc. 92583 CLICHY CEDEX FR

Telephone : 01 41 27 62 00. Fax: 01 41 27 62 01. Telex: .

support.fds@cromology.com

### 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS ORFILA <http://www.centres-antipoison.net>.

### Other emergency numbers

National Poisons Information Service (NPIS) : Email: [director.birmingham.unit@npis.org](mailto:director.birmingham.unit@npis.org) and Website: <http://www.npis.org/>

## SECTION 2 : HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

### 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

EUH208

Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

EUH208

Contains 2-METHYL-2H-ISOTHIAZOLE-3-ONE. May produce an allergic reaction.

EUH208

Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

Hazard statements :

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements - General :

P102

Keep out of reach of children.

Precautionary statements - Prevention :

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

Precautionary statements - Disposal :

P501

Dispose of this material and its container to hazardous or special waste collection point.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

#### Composition :

Identification	(EC) 1272/2008	Note	%
INDEX: 613-088-00-6	GHS05, GHS07, GHS09		0 <= x % < 2.5
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Eye Dam. 1, H318		
	Skin Sens. 1, H317		

	Aquatic Acute 1, H400 M Acute = 1		
EC: 700-161-3 REACH: 01-2119436357-36  REACTION MASS OF MIXED (3,3,4,4,5,5,6,6,7,7,8,8,8-TRID ECAFLUOROOCOTYL) PHOSPHATES, AMMONIUM SALT	GHS06, GHS09, GHS08 Dgr Acute Tox. 1, H330 STOT RE 2, H373 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 10		0 <= x % < 2.5
CAS: 2682-20-4 EC: 220-239-6  2-METHYL-2H-ISOTHIAZOLE-3-ONE	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Acute Tox. 2, H330 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 1		0 <= x % < 2.5
CAS: 886-50-0 EC: 212-950-5  2-TERT-BUTYLAMINO-4-ETHYLAMINO- 6-(METHYLTHIO-1,3,5-TRIAZINE	GHS07, GHS09 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 100 Aquatic Chronic 1, H410 M Chronic = 100		0 <= x % < 2.5
INDEX: 613-167-00-5 CAS: 55965-84-9  MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLI N-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1)	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5

#### SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.  
NEVER induce swallowing by an unconscious person.

##### 4.1. Description of first aid measures

###### In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

###### In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

###### In the event of swallowing :

Seek medical attention, showing the label.

##### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

##### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

#### 5.1. Extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)
- nitrogen oxide (NO)
- nitrogen dioxide (NO<sub>2</sub>)

#### 5.3. Advice for firefighters

No data available.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention :

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

#### 7.3. Specific end use(s)

No data available.

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

No data available.

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- PVC (polyvinyl chloride)

- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### General information :

Physical state :	Viscous liquid.
------------------	-----------------

#### Important health, safety and environmental information

pH :	Not stated.
	Slightly basic.
Boiling point/boiling range :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	> 1
Water solubility :	Dilutable.
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.

### 9.2. Other information

No data available.

## SECTION 10 : STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid :

- frost

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)
- nitrogen oxide (NO)
- nitrogen dioxide (NO<sub>2</sub>)

## SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

No data available.

#### 11.1.1. Substances

##### Acute toxicity :

2-METHYL-2H-ISOTHIAZOLE-3-ONE (CAS: 2682-20-4)

Oral route : 200 < LD50 <= 300 mg/kg

Inhalation route (Dusts/mist) : 0.25 < LC50 <= 0.5 mg/l

##### Skin corrosion/skin irritation :

2-METHYL-2H-ISOTHIAZOLE-3-ONE (CAS: 2682-20-4)

Species : Rabbit

OCDE Ligne directrice 404 (Effet irritant/corrosif aigu sur la peau.)

OCDE Ligne directrice 404 (Effet irritant/corrosif aigu sur la peau.)

##### Serious damage to eyes/eye irritation :

2-METHYL-2H-ISOTHIAZOLE-3-ONE (CAS: 2682-20-4)

Species : Rabbit

OCDE Ligne directrice 405 (Effet irritant/corrosif aigu sur les yeux)

Species : Rabbit

OCDE Ligne directrice 405 (Effet irritant/corrosif aigu sur les yeux)

Species : Rabbit

OCDE Ligne directrice 405 (Effet irritant/corrosif aigu sur les yeux)

Species : Rabbit

OCDE Ligne directrice 405 (Effet irritant/corrosif aigu sur les yeux)

##### Respiratory or skin sensitisation :

2-TERT-BUTYLAMINO-4-ETHYLAMINO-6-(METHYLTHIO-1,3,5-TRIAZINE (CAS: 886-50-0)

May cause an allergic skin reaction.

Local lymph node stimulation test : Sensitiser.

Guinea Pig Maximisation Test (GMPT) : Sensitiser.

Buehler Test : Sensitiser.

2-METHYL-2H-ISOTHIAZOLE-3-ONE (CAS: 2682-20-4)

May cause an allergic skin reaction.

Local lymph node stimulation test : Sensitiser.

Guinea Pig Maximisation Test (GMPT) : Sensitiser.

Buehler Test : Sensitiser.

#### 11.1.2. Mixture

##### Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

## SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures.

## 12.1. Toxicity

### 12.1.1. Substances

2-METHYL-2H-ISOTHIAZOLE-3-ONE (CAS: 2682-20-4)

Fish toxicity : 0,01 < NOEC <= 0,1 mg/l

Crustacean toxicity : 0,01 < NOEC <= 0,1 mg/l

Algae toxicity : 0,01 < NOEC <= 0,1 mg/l

Aquatic plant toxicity : 0,01 < NOEC <= 0,1 mg/l

2-TERT-BUTYLAMINO-4-ETHYLAMINO-6-(METHYLTHIO-1,3,5-TRIAZINE (CAS: 886-50-0)

Fish toxicity : 0.001 < LC50 <= 0.01 mg/l  
Factor M = 100  
Duration of exposure : 96 h

Crustacean toxicity : 0.001 < EC50 <= 0.01 mg/l  
Factor M = 100  
Duration of exposure : 48 h

Algae toxicity : 0.001 < ECr50 <= 0.01 mg/l  
Factor M = 100  
Duration of exposure : 72 h

Aquatic plant toxicity : 0.001 < ECr50 <= 0.01 mg/l  
Factor M = 100  
Duration of exposure : 72 h

REACTION MASS OF MIXED (3,3,4,4,5,5,6,6,7,7,8,8,8-TRIDECAFLUOROOCYL) PHOSPHATES, AMMONIUM SALT

Fish toxicity : 0.01 < LC50 <= 0.1 mg/l  
Factor M = 10

Crustacean toxicity : 0.01 < EC50 <= 0.1 mg/l  
Factor M = 10

Algae toxicity : 0.01 < ECr50 <= 0.1 mg/l  
Factor M = 10

Aquatic plant toxicity : 0.01 < ECr50 <= 0.1 mg/l  
Factor M = 10

### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

### 12.2.1. Substances

2-TERT-BUTYLAMINO-4-ETHYLAMINO-6-(METHYLTHIO-1,3,5-TRIAZINE (CAS: 886-50-0)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

2-METHYL-2H-ISOTHIAZOLE-3-ONE (CAS: 2682-20-4)

Biodegradability : Rapidly degradable.

REACTION MASS OF MIXED (3,3,4,4,5,5,6,6,7,7,8,8,8-TRIDECAFLUOROOCYL) PHOSPHATES, AMMONIUM SALT

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

## 12.3. Bioaccumulative potential

### 12.3.1. Substances

2-METHYL-2H-ISOTHIAZOLE-3-ONE (CAS: 2682-20-4)

Octanol/water partition coefficient : log K<sub>ow</sub> = -0.32

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

Conform to local regulations about water protection.

Waste and used packages must be eliminated following local regulations.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

15 01 02 plastic packaging

15 01 04 metallic packaging

### SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

#### 14.1. UN number

-

#### 14.2. UN proper shipping name

-

#### 14.3. Transport hazard class(es)

-

#### 14.4. Packing group

-

#### 14.5. Environmental hazards

-

#### 14.6. Special precautions for user

-

### SECTION 15 : REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)

##### - Container information:

No data available.

##### - Particular provisions :

No data available.

#### 15.2. Chemical safety assessment

No data available.

### SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Abbreviations :**

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.